




**FACTSHEET** 

## LEITZ SPECIFICATION



## On the safe side with Leitz

For almost all Leitz measuring machines the respective accuracy values are true for a whole range of styli, with dimensions from Ø  $3 \times 35$  mm to Ø  $8 \times 130$  mm. With each Leitz CMM you are certain to invest in a high accuracy quality product.







Leitz styli

Specifications for Leitz CMMs are valid for all Leitz styli with



dimensions from ø 3 x 35 mm to ø 8 x 130 mm.







CMM-maker 1 CMM-maker 2 CMM-maker 3

## Be informed, read the fine-print

When choosing the appropriate coordinate measuring machine (CMM) it is worth having a closer look at the measuring error stated given by the manufacturer.

There are great differences among the different makers. Important information is often hidden in the fine-print of the respective data sheets. Whereas Leitz specifies the accuracy for a full range of styli, there are others which publish the measuring error only for one stylus.





LASER TRACKERS & STATIONS



PORTABLE MEA-SURING ARMS



BRIDGE CMMS



HORIZONTAL ARM CMMS



**GANTRY CMMS** 



MULTISENSOR & OPTICAL SYSTEMS



WHITE LIGHT **SCANNERS** 



ULTRA HIGH ACCURACY CMMS



PRECISION MEASURING INSTRUMENTS





## Full Bright: 福宫通商股份有限公司

台北 Tel: 02-82271227 台中 Tel: 04-24736300 高雄 Tel: 07-3430270 昆山 Tel: 512-57751291 東莞 Tel: 769-85847220 Fax: 02 - 82271191 Fax: 04 - 24734733 Fax: 07 - 3430296 Fax: 512 - 57751293 Fax: 769 - 85847229