





The Probe Company
Probes and Accessories


Carbide styli		Pos.	itp Order No	analogue Faro		DK	ML1 ML	DG D	L	DS1 DS	Inch	Weight g
Thread	M6	1	TH M6 H16 16 047	BP002-M		1,58	9,0	16,0	47,0	1,0	1/16"	
		2	TH M6 R30 16 049	BPM009-M		3,0	11,0	16,0	49,0	2,0		
Material	Stainless steel base, carbide stem, ball as per table	3	TH M6 Z30 16 049	-		3,0	11,0	16,0	49,0	2,0		
		4	TH M6 R08 16 049	-		3,175	11,0	16,0	49,0	2,0	1/8"	
		5	TH M6 Z08 16 049	BP004-M		3,175	11,0	16,0	49,0	2,0	1/8"	
		6	TH M6 D08 16 049	BP012-M		3,175	11,0	16,0	49,0	2,0	1/8"	
		7	TH M6 H08 16 100	BP014-M		3,175	62,0	16,0	100,0	2,0	1/8"	
		8	TH M6 D08 16 100	BP015-M		3,175	62,0	16,0	100,0	2,0	1/8"	
		9	TH M6 R60 16 049	-		6,0	11,0	16,0	49,0	2,0		
		10	TH M6 Z60 16 049	BPM001-M		6,0	11,0	16,0	49,0	2,0		
		11	TH M6 R04 16 049	-		6,35	11,0	16,0	49,0	2,0	1/4"	
		12	TH M6 Z04 16 049	BP001-M		6,35	11,0	16,0	49,0	2,0	1/4"	
		13	TH M6 D04 16 049	BP011-M		6,35	11,0	16,0	49,0	2,0	1/4"	
		14	TH M6 H04 16 100	BP009-M		6,35	62,0	16,0	100,0	3,5	1/4"	
		15	TH M6 H516 16 049	BP013-M		7,93	11,0	16,0	49,0	3,5	5/16"	
		16	TH M6 R80 16 049	BPM002-M		8,0	11,0	16,0	49,0	3,5		
		17	TH M6 R100 16 049	BPM003-M		10,0	11,0	16,0	49,0	3,5		
		18	TH M6 R120 16 059	BPM004-M		12,0	21,0	16,0	59,0	3,5		
		19	TH M6 H02 16 059	BP008-M		12,69	21,0	16,0	59,0	3,5	1/2"	
		20	TH M6 H160 16 059	BPM005-M		16,0	21,0	16,0	59,0	3,5		
		21	TH M6 H180 16 059	BPM006-M		18,0	21,0	16,0	59,0	3,5		
		22	TH M6 H200 16 059	BPM007-M		20,0	21,0	16,0	59,0	3,5		
		23	TH M6 H10 16 069	BP007-M		25,4	31,0	16,0	69,0	3,5	1"	




Peg mounted balls. Special designs on request.

H = Carbide, R = Ruby, D = Delrin, Z = Zirconium oxide.

Styli pointer		Pos.	itp Order No	analogue Faro		DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
Thread	M6	1	IH M6 030 16 047	PP001-M		30°		16,0	47,0	2,0		
Material						Special designs on request.						





Adapter		Pos.	itp Order No	analogue Faro		DK	ML1 ML	DG D	L	DS1 DS	G1 G2	Weight g
Thread	M6	1	RI M6 500 16 029	-				16,0	29,0		M6 / M5	
Material	Stainless steel	2	RI M6 400 16 029	-				16,0	29,0		M6 / M4	
		3	RI M6 300 16 029	-				16,0	29,0		M6 / M3	
		4	RI M6 200 16 029	-				16,0	29,0		M6 / M2	




Special designs on request.

Adapter for Faro Platinum/Gold		Pos.	itp Order No	analogue Faro		DK	ML1 ML	DG D	L	DS1 DS	G1 G2	Weight g
Thread	M5/M6	1	RIUN11/4M538039	-				38,0	39,0		1,25'/M5	
Material	Stainless Steel	2	RIUN11/4M638039	-				38,0	39,0		1,25'/M6	



Special designs on request.



福宮通商股份有限公司

總公司: 新北市 235 中和區連城路 258 號 3F-3
(遠東世紀廣場 I 棟)



Tel: 02-82271200 Fax: 02-82271266
Http:// www.fullbright.com.tw
E-mail: sales@fullbright.com.tw

台北	Tel: 02-82271227	Fax: 02-82271191
台中	Tel: 04-24736300	Fax: 04-24734733
高雄	Tel: 07-3430270	Fax: 07-3430296
昆山	Tel: 512-57751291	Fax: 512-57751293
東莞	Tel: 769-85847220	Fax: 769-85847229

www.fullbright.com.tw

itp
the probe company