





The Probe Company
Probes and Accessories

Ceramic styli

Thread M4
Material Stainless steel base, ceramic stem, ruby ball




Pos.	itp Order No	analogue Marposs	DK	ML1 ML	DG D	L L1	DS1 DS	B	Weight g
1	TK M4 060 07 035	319 19 10 872	6,0	29,5	7,0	38,0 / 35,0	4,0		3,8
2	TK M4 060 07 040	319 19 10 873	6,0	34,5	7,0	43,0 / 40,0	4,0		4,0
3	TK M4 060 07 045	319 19 10 874	6,0	39,5	7,0	48,0 / 45,0	4,0		4,7
4	TK M4 060 07 050	319 19 10 875	6,0	44,5	7,0	53,0 / 50,0	4,0		4,5
5	TK M4 070 07 070	319 19 10 871	7,0	55,5	7,0	73,5 / 70,0	4,0		5,0
6	TK M4 060 07 075	319 19 10 870	6,0	60,0	7,0	78,0 / 75,0	4,0		5,2
7	TK M4 060 07 100	319 19 10 865	6,0	85,0	7,0	103,0 / 100,0	4,0		6,5
8	TK M4 070 07 125	319 19 29 200	7,0	110,5	7,0	128,5 / 125,0	4,0		7,9
9	TK M4 070 07 150	319 19 10 860	7,0	135,5	7,0	153,5 / 150,0	4,0		8,9
10	TK M4 100 07 100	319 19 29 210	10,0	87,0	7,0	105,0 / 100,0	4,0		7,3

Cup mounted balls. Special designs on request.

All existing ball materials are available upon request for all styli and all thread sizes.

Carbide styli

Thread M4
Material Stainless steel base, carbide stem, ruby ball




Pos.	itp Order No	analogue Marposs	DK	ML1 ML	DG D	L L1	DS1 DS	B	Weight g
1	TH M4 010 07 020	319 19 10 806	1,0	4,5	7,0	20,5 / 20,0	0,8		1,5
2	TH M4 020 07 020	319 19 10 807	2,0	8,0	7,0	21,0 / 20,0	1,5		1,5
3	TH M4 040 07 020	319 19 10 808	4,0	12,0	7,0	22,0 / 20,0	3,0		1,9
4	TH M4 060 07 020	319 19 10 803	6,0	14,5	7,0	23,0 / 20,0	4,0		2,1
5	TH M4 060 07 035	319 19 10 805	6,0	29,5	7,0	38,0 / 35,0	4,0		15,2
6	TH M4 060 07 040	319 19 10 810	6,0	34,5	7,0	43,0 / 40,0	4,0		16,5
7	TH M4 060 07 050	319 19 10 815	6,0	44,5	7,0	53,0 / 50,0	4,0		18,0
8	TH M4 060 07 075	319 19 10 830	6,0	69,5	7,0	78,0 / 75,0	4,0		19,7
9	TH M4 060 07 100	319 19 10 840	6,0	94,5	7,0	103,0 / 100,0	4,0		27,5
10	TH M4 070 07 150	319 19 10 845	7,0	135,5	7,0	153,5 / 150,0	4,0		36,0
11	TH M4 080 07 020	319 19 10 809	8,0	15,5	7,0	24,0 / 20,0	4,0		2,2

Peg mounted balls. Special designs on request.

All existing ball materials are available upon request for all styli and all thread sizes.

Extension		Pos.	itp Order No	analogue Marposs		DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
Thread	M4	1	VI M4 000 M7 010	101 91 08 026				7,0	10,0			2,4
Material	Stainless steel	2	VI M4 000 M7 015	101 91 08 027				7,0	15,0			3,7
		3	VI M4 000 M7 020	101 91 08 028				7,0	20,0			4,8
		4	VI M4 000 M7 030	101 91 08 029				7,0	30,0			7,4
		5	VI M4 000 M7 050	101 91 08 025				7,0	50,0			9,5




Special designs on request.

Anticrash protection adapter		Pos.	itp Order No	analogue Marposs		DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
Thread	M4	1	BI M4 000 07 008	-				7,0	8,0			1,8

Material Stainless steel

Special designs on request.




5-way rotary holder

Pos.	itp Order No	analogue Marposs		DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
1	HI M4 000 15 018	201 91 08 000					18,0		15,0	12,5

Thread M4

Material Stainless steel

Special designs on request.




Adapter for crank styli for srew SI M4 000 07 010

Pos.	itp Order No	analogue Marposs		DK	ML1 ML	DG D	L	DS1 DS	Thickness	Weight g
1	RI M4 000 07 022	101 91 08 036				7,0	22,0		5,0	1,5
2	RI M4 000 07 028	101 91 08 037				7,0	28,0		5,0	1,8

Thread M4

Material Stainless steel


Special designs on request.



Crash protection device		Pos.	itp Order No	analogue Marposs		DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
Thread	M4	1	BI M4 000 07 016	101 50 51 100				7,0	16,0			1,8


Material Stainless steel


Special designs on request.



Screw with crash protection device		Pos.	itp Order No	analogue Marposs		DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
Thread	M4	1	SI M4 000 07 010	101 91 08 004				7,0	10,0			1,8

Material Stainless steel





福宮通商股份有限公司

總公司: 新北市 235 中和區連城路 258 號 3F-3
(遠東世紀廣場 I 棟)



Tel: 02-82271200 Fax: 02-82271266
Http:// www.fullbright.com.tw
E-mail: sales@fullbright.com.tw

台北	Tel: 02-82271227	Fax: 02-82271191
台中	Tel: 04-24736300	Fax: 04-24734733
高雄	Tel: 07-3430270	Fax: 07-3430296
昆山	Tel: 512-57751291	Fax: 512-57751293
東莞	Tel: 769-85847220	Fax: 769-85847229

www.fullbright.com.tw

itp
the probe company