





The Probe Company
Probes and Accessories

ULTRA Scanning styli

Thread M5
Material Titanium base, carbide stem, diamond-coated ball




Pos.	itp Order No			DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
1	TH M5 DC10 11 030			1,0	5,0/20,0	11,0	30,0	0,8/1,0		6,0
2	TH M5 DC15 11 030			1,5	8,0/20,0	11,0	30,0	1,0/1,5		6,0
3	TH M5 DC15 11 040			1,5	30,0	11,0	40,0	1,0		9,0
4	TH M5 DC20 11 030			2,0	20,0	11,0	30,0	1,5		7,0
5	TH M5 DC20 11 040			2,0	30,0	11,0	40,0	1,5		7,0
6	TH M5 DC30 11 033			3,0	23,5	11,0	33,5	2,0		4,5
7	TH M5 DC30 11 050			3,0	40,0	11,0	50,0	2,0		5,2
8	TH M5 DC30 11 058			3,0	48,0	11,0	58,0	2,0		5,5
9	TH M5 DC40 11 064			4,0	54,0	11,0	64,0	2,0		5,9
10	TH M5 DC50 11 050			5,0	40,0	11,0	50,0	3,5		9,0
11	TH M5 DC50 11 053			5,0	43,0	11,0	53,0	3,5		9,8
12	TH M5 DC50 11 075			5,0	65,0	11,0	75,0	3,5		12,5
13	TH M5 DC80 11 063			8,0	50,5	11,0	63,5	6,0		24,8
14	TH M5 DC80 11 114			8,0	101,5	11,0	114,5	6,0		45,8
15	TH M5 DC100 11 065			10,0	52,5	11,0	65,5	6,0		25,8
16	TH M5 DC100 11 118			10,0	105,0	11,0	118,0	6,0		47,3

Balls actively brazed to the stem. Glued balls on request.

Other ball diameters and lenghts on request.

ULTRA Scanning styli XXT

Thread M3 XXT
Material Titanium base, carbide stem, diamond-coated ball




Pos.	itp Order No			DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
1	TH M3 DC10 05 020			1,0	5,0/11,0	5,0	20,0	06/1,0		0,70
2	TH M3 DC10 05 030			1,0	5,0/21,0	5,0	30,0	0,8/1,0		0,80
3	TH M3 DC10 05 040			1,0	5,0/31,0	5,0	40,0	0,8/1,0		1,50
4	TH M3 DC15 05 030			1,5	22,5	5,0	30,0	1,0		0,90
5	TH M3 DC15 05 040			1,5	31,0	5,0	40,0	1,0		1,60
6	TH M3 DC20 05 020			2,0	11,0	5,0	20,0	1,0		0,72
7	TH M3 DC20 05 030			2,0	21,0	5,0	30,0	1,0		0,83
8	TH M3 DC20 05 040			2,0	31,0	5,0	40,0	1,5		1,70

Balls actively brazed to the stem. Glued balls on request.

Other ball diameters and lengths on request.

ULTRA Scanning carbon fiber styli XXT, thermostable


Thread M3 XXT
Material Titanium base, carbon fibre stem, diamond-coated ball



Pos.	itp Order No			DK	ML1 ML	DG D	L	DS1 DS	B	Weight g
1	TC M3 DC30 05 033			3,0	24,0	5,0	33,0	2,0		0,70
2	TC M3 DC30 05 050			3,0	41,0	5,0	50,0	2,0		0,80
3	TC M3 DC30 05 058			3,0	49,0	5,0	58,0	2,0		1,0
4	TC M3 DC30 05 059			3,0	50,0	5,0	59,0	2,0		1,0
5	TC M3 DC30 05 075			3,0	66,0	5,0	75,0	2,0		1,0
6	TC M3 DC40 05 050			4,0	41,0	5,0	50,0	2,0		1,0
7	TC M3 DC50 05 050			5,0	41,0	5,0	50,0	3,5		1,4
8	TC M3 DC50 05 075			5,0	66,0	5,0	75,0	3,5		1,8

Glued balls.

Other ball diameters and lengths on request.



福宮通商股份有限公司

總公司: 新北市 235 中和區連城路 258 號 3F-3
(遠東世紀廣場 I 棟)



Tel: 02-82271200 Fax: 02-82271266
Http:// www.fullbright.com.tw
E-mail: sales@fullbright.com.tw

台北	Tel: 02-82271227	Fax: 02-82271191
台中	Tel: 04-24736300	Fax: 04-24734733
高雄	Tel: 07-3430270	Fax: 07-3430296
昆山	Tel: 512-57751291	Fax: 512-57751293
東莞	Tel: 769-85847220	Fax: 769-85847229

www.fullbright.com.tw

itp
the probe company